

COPPER FOIL

We carry a high quality copper foil made by Edco. Edco foil has the strongest adhesive in the industry and longest shelf life. Edco Copper foil uses a "dead soft Copper" that adheres closely to your glass. This saves you time and makes your finished work stronger and more attractive. Edco copper foil is specially formulated to withstand every chemical normally used in stained glass work, so you will always be pleased with the final results. Edco copper foil lasts and lasts, so you don't have to use it all right away, even a year later, it's as good as the day you opened the package. Please contact us for larger volume pricing. Use silver back foil when you want the inside of the foil to match the solder outside, black when the solder is covered with a black patina. Copper foil is also available in wide rolls up to 24" by special order. All copper foil is backed by Edco with an unconditional 6 month money back guarantee. Silver & Black backed foil comes in 1.25 mil thickness. 1/8", 3/8", and 1/2" widths are available by special order.



CODE	ITEM	Price per Roll				
		1+	6+	12+	48+	144+
BLACK BACK FOIL						
CB-532	5/32 Black Back Copper Foil	2.77	2.71	2.57	2.44	2.30
CB-316	3/16 Black Back Copper Foil	3.20	3.12	2.96	2.81	2.65
CB-732	7/32 Black Back Copper Foil	3.60	3.51	3.34	3.16	2.99
CB-14	1/4 Black Back Copper Foil	4.18	4.08	3.87	3.67	3.46
CB-516	5/16 Black Back Copper Foil	5.16	5.03	4.78	4.53	4.28
SILVER BACK FOIL						
CS-532	5/32 Silver Back Copper Foil	3.26	3.18	3.03	2.87	2.71
CS-316	3/16 Silver Back Copper Foil	3.92	3.83	3.64	3.45	3.25
CS-732	7/32 Silver Back Copper Foil	4.57	4.46	4.23	4.01	3.79
CS-14	1/4 Silver Back Copper Foil	5.07	4.95	4.70	4.46	4.21
COPPER FOIL						
1 MIL FOIL						
C-1316	3/16 1 Mil. Thickness	2.54	2.48	2.35	2.23	2.10
C-1732	7/32 1 Mil. Thickness	2.96	2.89	2.74	2.60	2.45
C-114	1/4 1 Mil. Thickness	3.38	3.30	3.14	2.97	2.81
1.25 MIL FOIL						
C-2532	5/32 1.25 Mil. Thickness	2.27	2.21	2.10	1.99	1.88
C-2316	3/16 1.25 Mil. Thickness	2.57	2.51	2.38	2.26	2.13
C-2732	7/32 1.25 Mil. Thickness	3.03	2.95	2.81	2.66	2.51
C-214	1/4 1.25 Mil Thickness	3.43	3.35	3.18	3.01	2.85
C-2516	5/16 1.25 Mil. Thickness	4.23	4.13	3.92	3.71	3.51
C-238	3/8 1.25 Mil. Thickness	5.01	4.88	4.64	4.40	4.15
C-212	1/2 1.25 Mil. Thickness	6.61	6.45	6.13	5.81	5.48
1.5 MIL FOIL						
C-5532	5/32 1.5 Mil. Thickness	2.37	2.31	2.19	2.08	1.96
C-5316	3/16 1.5 Mil. Thickness	2.84	2.77	2.63	2.49	2.36
C-5732	7/32 1.5 Mil. Thickness	3.20	3.12	2.96	2.81	2.65
C-514	1/4 1.5 Mil. Thickness	3.74	3.65	3.46	3.28	3.10
C-5516	5/16 1.5 Mil. Thickness	4.57	4.46	4.23	4.01	3.79
C-538	3/8 1.5 Mil. Thickness	5.43	5.30	5.03	4.77	4.50
C-512	1/2 1.5 Mil. Thickness	7.20	7.03	6.68	6.33	5.97

CASCADE LEAD

Cascade lead came is made from a very closely controlled alloy that combines a fine grain structure with high strength. The process starts with 100% pure lead to which tin, antimony, copper and bismuth are added. The came is still over 99% pure lead, but you can stretch the lead to the breaking point and still maintain a fine grain structure. The alloy also prevents oxidation, makes for easier soldering and allows for a long shelf life without tarnishing.

The lead comes in six foot lengths, is packed in 45 pound cardboard cases and is available in hard and soft.

CODE	ITEM	Price Group	CODE	ITEM	Price Group
LD-FH26-H	1/2 x 5/32 Inch flat Lead	A	LD-RH4-H	7/32X5/32 RndH Channel Hard	A
LD-FH26-S	1/2 x 5/32 Inch Flat Lead	A	LD-RH4-S	7/32X5/32Rnd H Channel Soft	A
LD-FH39-H	9/16 x 5/32 inch flat Lead	A	LD-RH5-H	3/16x3/16 Rnd H Channel Hrd	A
LD-FH45-H	3/8 x 3/16 Flat H Hard	A	LD-RH5-S	3/16x3/16 Rnd H Channel Sft	A
LD-FH46-H	3/8x5/32 Flat H Channel Hrd	A	LD-RH7-H	1/4x3/16 Rnd H Channel Hrd	A
LD-FH50-H	1/4 x 3/16 Flat H Hard	A	LD-RH7-S	1/4x3/16 Rnd H Channel Sft	A
LD-FH60-H	3/16 x 3/16 Flat H Hard	A	LD-RH8-H	5/32x5/32 Rnd H Channel Hrd	A
LD-REF	Reinforcing Lead	A	LD-RU80-H	3/16x5/32 Bordr U Chanl Hrd	A
			LD-RU80-S	3/16x5/32 Bordr U Chanl Sft	A
			LD-RU85-S	1/4x13/64 Brdr U Chanl Soft	A
			LD-SALE	German Lead-Sale	A
			LD-SU55-H	1/4 x 5/32 Brdr U Chanl Hrd	A
			LD-TR58-H	3/4x3/16x1/4 BrdrYChanl Hrd	A

PRICE GROUP	Price per Box			
	1+	2+	5+	10+
A	65.63	52.50	50.50	47.37

All lead may be mixed for quantity discounts.

CASCADE ZINC CAME

Cascade zinc is available by the strip or the case. 22 lbs per box.

CODE	ITEM	Price per Strip	Strips per Case
LZH-375-ST	3/8 H Channel Zinc	2.98	44
LZH-500-ST	1/2 H Channel Zinc	3.86	34
LZB-500-ST	1/2 Border Channel Zinc	3.28	40
LZU-130-ST	3mm U Border Channel Zinc	0.60	220
LZH-932-ST	9/32 H Channel Zinc	2.39	55
LZB-375-ST	3/8 Border Channel Zinc	2.98	44
LZB-932-ST	9/32 Border Channel zinc	1.77	74

PRICE GROUP	Price per Box			
	1+	2+	5+	10+
A	98.75	79.00	66.50	62.00

All zinc may be mixed for quantity discounts.

BRASS CROWNED LEAD CAME

BRASS CAME

CODE	ITEM	Price Group
LB-5X4UR-S	5x4 U Round brass	A
LB-5X4F-S	5x4 1 Sided Flat Brass	A
LB-6X4F-S	6x4 1 Sided Flat Brass	A
LB-6X4YF-S	6x4 Y Flat Brass	A
LB-6X4UR-S	6x4 U Round Brass	A
LB-4X5UF-S	4x5 1 Sided U Flat Brass	A
LB-5X3HR-S	5x3 1 Sided H Round Brass	A
LB-4X5HR-S	4x5 1 Sided H Round Brass	A
LB-CORNER-S	Corner Brass	A
LB-3X4R-S	3x4 1 Sided Round Brass	B
LB-6X4R2-S	6x4 2 Sided Round Brass	B
LB-5X4R2-S	5x4 2 Sided Round Brass	B

PRICE GROUP	Price per Strip		
	1+	50+	100+
A	2.00	1.80	1.60
B	3.00	2.70	2.40

All brass may be mixed for quantity discounts.

SOLDER

We carry both Canfield and Hirsch solders in 60/40 and 50/50. For lead work use 50/50 solder. For copper foil work use 60/40. Lead Free solder is also available. Lead free solder- has a lower melting range, excellent flow characteristics, high luster finish (same as 60/40), economically priced, runs an excellent bead, patinas well, easy to use, environmentally safe, excellent for the novice user as well as the experienced artist.

CODE	ITEM	1+	Price per Roll		
			25+	50+	100+
L-C-50	Canfield 50/50 Solder	4.00	3.64	3.40	3.19
L-C-60	Canfield 60/40 Solder	5.20	4.62	4.33	4.03
L-C-LF	Canfield Lead-Free Solder	6.80	6.19	5.78	5.44
L-C-Q	Quick Set	5.72	5.13	4.86	4.55
L-H-50	Hirsch 50/50 Solder	3.96	3.51	3.30	3.08
L-H-60	Hirsch 60/40 Solder	4.44	3.94	3.70	3.46

Please contact us for prices on quantities over 500 lbs. All solder may be mixed for quantity discounts.